

Accessory Catalog

Speaker Mics

P/N: KMC-70M

Name: SPEAKER MIC, 3PF KEYS, BLACK, VP-T

Compatible With: VP6000,VP5000

Details:

IP67, IS (CSA), MIL-std, PTT button, three programmable buttons, and earphone jack(3.5mm). Coiled Cable length is 26 in. (Stretched length: 78 in.)

P/N: KMC-70GR

Name: SPEAKER MIC, 3PF KEYS, HI-VIZ, VP-T

Compatible With: VP6000,VP5000

Details:

IP67, IS (CSA), MIL-std, PTT button, two programmable buttons, and earphone jack(3.5mm). Coiled Cable length is 26 in. (Stretched length: 78 in.)

P/N: KMC-54WDM

Name: SPEAKER MIC MIL-SPEC, IP67, W/ ANR, VP-T/TK

Compatible With: VP6000,VP5000

Details:

IP67, IS (CSA), MIL-std, PTT button, two programmable buttons, and earphone jack(3.5mm). Coiled Cable length is 26 in. (Stretched length: 78 in.)

Specialty Speaker Mics

P/N: KMC-49

Name: SPEAKER MIC PUB SAFETY, W/ ANTENNA CONN, VP-T/TK

Compatible With: VP6000,VP5000

Details: IP67, IS(CSA), MIL-std, PTT button, two programmable buttons, earphone jack, and antenna connector (antenna is not included but can use standard portable antenna). 5/16-in. coax cable hex wrench is included. Available in 24 in.




P/N: V2-G4KC221

Name: FIRE SPEAKER MIC, OTTO, 500°F, VP-T

Compatible With: VP6000,VP5000

Details: FIRE SPEAKER MIC, OTTO, 500°F, VP-T Whether in the fire or behind the hose, OTTO 500 high temp fire speaker microphone exceeds the performance of any other speaker mic on the market. Designed to continue functioning even in extreme situations, the OTTO 500 gives fire professionals those critical minutes of communications that can mean the difference between life and death. OTTO 500 is tested to function for more than five minutes at 500 F (260 C) utilizing special high-temperature materials in the case, cable and strain relief. With full immersion capability in one meter of water for 31 minutes and exceptional debris protection including a removable grill and replaceable debris screen for easy cleaning, the durable OTTO 500 is the clear choice for extreme fire-fighting environments Features :Functions for more than five minutes at 500 F (260 C)IP68, immersion rated to one meter of water for 31 minutesNew clip design with increased clamping force and metal loopRemovable green grill with replaceable debris screenLarge PTT for use with glovesOptional emergency button



P/N: BTR-155

Name: BLUETOOTH SPEAKER MIC, SAVOX, K551071 VP-T

Compatible With: VP6000,VP5000

Details:

BLUETOOTH SPEAKER MIC, SAVOX, K551071 VP-T



P/N: APTT1

Name: SPEAKER MIC, AINA BT PTT VOICE RESPONDER

Compatible With: VP6000,VP5000,VM7000,VM6000,VM5000

Details:

AINA's PTT Voice Responder is a next generation speaker-microphone which can be connected via Bluetooth to Viking 5000/6000/7000 series subscriber radios. It features PTT plus 5 programmable buttons.

VM/VPx000 radios optioned with Bluetooth support the AINA PTT Voice Responder Remote Bluetooth speaker mic. The speaker mic configuration in Armada supports the programmable buttons and customizable blue tooth audio profile.

Firmware Notes:

*Viking radios require firmware 8.28.5 or later for compatibility.


*The AINA Voice Responder requires correct firmware and manufacturing date of 1735 or later for compatibility.

Accessories:

* ADC1: AINA PTT VR Desktop Charger Cradle

* AVC1: AINA PTT VR Vehicle Charger Cradle

Earpieces




P/N: KEP-2

Name: EARPHONE KIT 2.5 MM , VP-T/TK

Compatible With: VP6000,VP5000

Details: 2.5 mm earphone kit with quick disconnect and noise attenuating eartube/earplug. Receive only.



P/N: KEP-1

Name: EARPHONE KIT 3.55MM, VP-T/TK

Compatible With: VP6000,VP5000

Details: 3.5 mm earphone kit for speaker mic earpiece with quick disconnect and noise attenuating eartube/earplug. Receive only.

Surveillance

P/N: KHS-11BL

Name: 2 WIRE PALM MIC W/EARPHONE, VP-T/TK

Compatible With: VP6000,VP5000

Details: Earphone kit with PTT, microphone, and a radio connector.

P/N: BTH-300KIT1

Name: BLUETOOTH SURVEILLANCE KIT, PTT+EARPIECE, VP-T

Compatible With: VP6000,VP5000

Details: BLUETOOTH SURVEILLANCE KIT, PTT+EARPIECE, VP-TThe NEW BTH-300 series PRYMEBLU® Bluetooth (wireless) professional grade lapel microphone kit features a front mounted, easy to use, PTT button. The BTH-300 features a 3.5mm jack compatible. It comes with EH-1189sC Bud style earphone which has a 16" (retracted) Coil Cord and collar clip.

Headsets

P/N: KHS-14

Name: HEADSET, SINGLE MUFF BOOM MIC, IN-LINE PTT, VP-T/T

Compatible With: VP6000,VP5000

Details: Light weight single muff headset with boom mic & in-line PTT, universal connector, black. Intrinsically safe.

P/N: BTH-900

Name: BLUETOOTH HEADSET,BTH-900,OVER THE HEAD, VP-T

Compatible With: VP6000,VP5000

Details: BLUETOOTH HEADSET,BTH-900,OVER THE HEAD, VP-T
Pryme BTH-900-EMB Bluetooth Dual Ear Muff Racing Style Headset & Microphone. NEW Professional grade, wireless dual-muff headsets now available in three different mounting configurations. The BTH-800 Over-the-Head (OTH) style has a wide padded head band that is very comfortable. The BTH-900 Racing style has both an over-the-head adjustable strap and a strong Behind-the-Head (BTH) spring steel band for tight, secure fit. The BTH-700 kit is designed to fit in the slots found on most safety helmets used in safety / construction applications. ALL versions of the BTH-600/700/900 can be dual-linked with cellphone or tablets AND TWO-WAY RADIOS - AT THE SAME TIME! Fully integrated Bluetooth technology. No wires! No external BT boxes! Clean and professional. Dual operation Bluetooth for use with both Cellphones or Tablets at same time as Two-way radios. Separate control buttons for PTT (radio) and Cellphone (Answer / Call). Sealed rubber control switches give positive user feedback and are sealed to keep dust and moisture out. BTH-900 (Racing) style headset has extra large PTT button for use with heavy gloves. Two color LED indicator shows status of power, low voltage, linked, etc. Foam Ear Pads are easy to replace or upgrade to GEL type for maximum comfort! Noise reducing condenser boom microphone with wind sock is easy to replace. Bluetooth version 3.0, Class 2. HSP, HFP, A2DP, AVRCP. Typical range approx. 10 meters (30 feet). Operating time approx. 10 hours. Standby 50 hours. Charging cable (USB type) and Wall Charger included. Operating temperature range -15° C to +50° C.

Batteries

P/N: KNB-L2M

Name: LI-ION BATTERY, 2600MAH, NON IS, VP-T

Compatible With: VP6000,VP5000

Details: Standard L2 size battery. IP67, MIL-STD

P/N: KNB-L3M

Name: LI-ION BATTERY, 3400MAH, NON IS, VP-T

Compatible With: VP6000,VP5000

Details: High Capacity L3 size battery. IP67, MIL-STD

Image
Not
Available

P/N: KNB-LS5

Name: LHION BATTERY, 2000MAH, CSA, VP-T

Compatible With: VP6000,VP5000

Details: Standard L2 size Intrinsically Safe battery for USA only. IP67, MIL-STD

P/N: KNB-N4M

Name: NIMH BATTERY, 2500MAH, NON IS, IP RATED, VP-T

Compatible With: VP6000,VP5000

Details: Standard Nickel Metal Hydride battery suited for low temperature environment.

P/N: KNB-LS7

Name: LHION BATTERY, 3800MAH, CSA, VP-T

Compatible With: VP6000,VP5000

Details: LHION BATTERY, 3800MAH, CSA, VP-T

P/N: KBP-8M

Name: BATTERY CASE, AA ALKALINEX12,NO IP, ORANGE, VP-T

Compatible With: VP6000,VP5000

Details:

AA Alkaline Refillable Battery Pack (12 AA: 9V). Cells not included.

Chargers

P/N: KSC-32

Name: CHARGER, SINGLE BAY RAPID RATE, VP-T

Compatible With: VP6000,VP5000

Details: Single Unit tri-chemical rapid rate charger. Does not work with battery optimizing software.Kenwood KSC-32 Single-Unit Tri-Chemistry Rapid Rate Charger Includes 110/220VAC auto-switching AC Adapter with US-Style line cord plug. Charges Ni-Cd, Ni-MH and Li-Ion battery Types



P/N: KSC-Y32K

Name: CHARGER, SINGLE BAY RAPID RATE INTELLIGENT,VP-T

Compatible With: VP6000,VP5000

Details: Single Unit Intelligent tri-chemical rapid rate charger. Microprocessor controlled to prevent “over-charging”. Interchangeable adapter pods allow charging of a variety of battery models. Highly durable construction



P/N: KVC-23


Name: VEHICULAR CHARGER, VP-T

Compatible With: VP6000,VP5000

Details:

The KVC-23 has a rugged, heavy-duty design ideal for the demanding public safety and industrial sectors which require the charging of portables in the field during long shifts, in remote locations and during times of mass power outages. The KVC-23 Vehicular Charger includes an adjustable-angle steel bracket, D.C. power, ignition sense, and vehicular repeater control leads.

- 1. Three dedicated LED Status Indicator (Red : Charging, Green : Full, Repeater ON : Yellow)*
- 2. Operates in 12V vehicle power systems*
- 3. Overcharge protection prevents against reduced battery pack life caused by excessive charging*
- 4. Easy to use design allows charging to start by simply sliding the radio or battery into the charger slot*
- 5. Easily customized to support a variety of Kenwood radio types, batteries and customer options*
- 6. Easily accessible Repeater ON/OFF control button*



P/N: KVC-15

Name: VEHICULAR CHARGER ADAPTER, RAPID RATE, VP-T

Compatible With: VP6000,VP5000

Details: The KVC-15 is a rapid rate vehicular charger adapter for the KSC-32 charger base, to adapt use of a Kenwood single pocket desk charger for vehicular use powered from a conventional 12V DC vehicle accessory socket or cigarette lighter socket. The KVC-15 is comprised of a steel mounting base & adjustable locking bracket to hold the charger, and a matching DC cable with a fused cigarette lighter plug. The KVC-15 is intended for under-dash, wall, or floor mounting, in a weather protected location in a vehicle, preferably in the cab or in an enclosed work or cargo space. This device is not intended for unprotected operation in wet locations. This unit is designed for 12V DC operation, only.



P/N: KSC-326AK

Name: CHARGER, SIX UNIT RAPID RATE, VP-T

Compatible With: VP6000,VP5000

Details: CHARGER, SIX UNIT RAPID RATE, VP-T. Width 21.9 inchDepth 8.0 inchHeight 4.1 inchInput 100-240V 50/60Hz 1.5-0.8AOutput: Li-ion: 9.4V 1.42A × 6, Ni-MH: 13.2V 1A × 6CEC: Yes




P/N: KMB-30A

Name: WALL MOUNT BRACKET FOR MULTIBAY CHARGER, VP-T

Compatible With: VP6000,VP5000

Details:

Wall Mount Bracket for KSC-326K/326AK/256K/256AK



P/N: ADC1


Name: CHARGER CRADLE, DESKTOP, AINA BT PTT VR MIC

Compatible With: VP6000,VP5000,VM7000,VM6000,VM5000

Details:

For use with the AINA PTT Voice Responder remote speaker mic, part number APTT1.

Designed for use on desktops and counters. Connect to any standard 5V USB phone charger.



P/N: AVC1

Name: CHARGER CRADLE, VEHICLE, AINA BT PTT VR MIC

Compatible With: VP6000,VP5000,VM7000,VM6000,VM5000

Details:

For use with the AINA PTT Voice Responder remote speaker mic, part number APTT1.

The Vehicle Charger Cradle is compatible with most mount manufacturers, using standard AMPs hole pattern or male ¼"-20 threaded stud. 5V male USB connector.

Portable Antennas

P/N: KRA-27M

Name: ANTENNA UHF 440-490 MHZ WHIP, VP-T

Compatible With: VP6000,VP5000

Details: This is UHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-27M2

Name: ANTENNA UHF 470-520 MHZ WHIP, VP-T

Compatible With: VP6000,VP5000

Details: This is UHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-22M

Name: ANTENNA VHF 148-162 MHZ LOW-PROF HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is VHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-22M2

Name: ANTENNA VHF 162-174 MHZ LOW-PROF HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is VHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-22M3

Name: ANTENNA VHF 136-150 MHZ LOW-PROF HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is VHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-23M3

Name: ANTENNA UHF 403-430 MHZ LOW-PROF HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is UHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-23M2

Name: ANTENNA UHF 470-512 MHZ LOW-PROF HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is UHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-26M

Name: ANTENNA VHF 146-162 MHZ HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-26M2

Name: ANTENNA VHF 162-174 MHZ HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-26M3

Name: ANTENNA VHF 136-150 MHZ HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-27M3

Name: ANTENNA UHF 400-450 MHZ WHIP, VP-T

Compatible With: VP6000,VP5000

Details: This is UHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-32K

Name: ANTENNA 700/800 MHZ WHIP, VP-T

Compatible With: VP6000,VP5000

Details: This is 700/800 Whip antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-23M

Name: ANTENNA UHF 450-490 MHZ LOW-PROF HELICAL, VP-T

Compatible With: VP6000,VP5000

Details: This is UHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-28

Name: ANTENNA VHF 140-170 MHZ WHIP, VP-T

Compatible With: VP6000,VP5000

Details: This is BROAD-BAND HELIC LOADED VHF whip long profile, wide band coverage antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-25

Name: ANTENNA VHF 148-162 MZ, WHIP, VP-T

Compatible With: VP6000,VP5000

Details: This is HIGH GAIN VHF HELICALLY LOADED VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-36

Name: ANTENNA 700/800 MHZ STUB, VP-T

Compatible With: VP6000,VP5000

Details: This is 700/800 Stubby antenna. Works with VP5000/6000 and almost all of current Kenwood products.

P/N: KRA-29

Name: ANTENNA UHF 380-430 MHZ UHF WHIP, VP-T

Compatible With: VP6000,VP5000

Details: This is BROAD BAND VHF whip long profile, wide band coverage antenna. Works with VP5000/6000 and almost all of current Kenwood products.

Carry Cases

P/N: KLH-200K3

Name: LEATHER CASE, L2 & L3 MODEL, VP5000

Compatible With: VP5000

Details: Works with this swivel belt loop: KLH-6SW.

P/N: KLH-201K3

Name: NYLON CASE , L2 & L3 MODEL, VP5000

Compatible With: VP5000

Details: Works with this swivel belt loop: KLH-6SW.

Belt Loop and Straps

P/N: KLH-137ST

Name: SHOULDER STRAP LEATHER, FIRE HEAVY-DUTY, VP5000

Compatible With: VP5000

Details:

P/N: KBH-8DS

Name: BELT LOOP LEATHER WITH PORTABLE D RING, VP5000

Compatible With: VP5000

Details: Attached to VP5000 Radio Directly. Attached to the radio directly to swivel

P/N: KLH-6SW

Name: BELT LOOP LEATHER /DETACHABLE SWIVEL D-RING,VP5000

Compatible With: VP5000

Details: Used for KLH leather Cases(KLH-200K3) to Swivel.

P/N: R50840000SS0

Name: SHOULDER STRAP, VP-H/VP-T

Compatible With: VP6000,VP5000,VP400/600/900

Details: Boston leather (English Bridle) leather, 1 1/4 inches wide adjustable from approximately 67 to 75 inches long. It has multiple length settings, 2 swiveling cross holding snap hooks, and 2 microphone holding loops for a high degree adjustability.

P/N: R50840000004

Name: RETAINING STRAP, PS MIC- KMC 49, VP-T

Compatible With: VP6000,VP5000

Details: This all leather retaining strap was designed for use with the KMC-49 speaker mic, to hold the unit securely, and have long life. Made with 4 ounce (1/16 inch) top grain leather, nickel plated brass snaps, and stainless steel rivets. Remove the regular strap from the VP6000 cases and insert this strap for use with KMC-49 mic.

Belts

P/N: R50840000AS0

Name: ANTI SWAY BELT, VP-H/VP-T

Compatible With: VP6000,VP5000,VP400/600/900

Details: Boston leather (English Bridle) leather for ultimate comfort and long life. Designed to increase unit stability, it measures approximately 11, ½ inches long and 1 inch wide.

P/N: R50840000UB0

Name: UTILITY BELT, VP-H/VP-T

Compatible With: VP6000,VP5000,VP400/600/900

Details: Boston Leather (English Bridle) leather for ultimate comfort and long life. It has multiple length settings and a forged belt buckle.

Belt Clips and Brackets

P/N: KBH-11

Name: BELT CLIP 2.5" SPRING ACTION, VP-T

Compatible With: VP6000,VP5000

Details:

Programming/Manual

P/N: KPG-36XM

Name: PROGRAMMING CABLE, USB, VP-T

Compatible With: VP6000,VP5000

Details:

Image
Not
Available

P/N: 2990045094

Name: ARMADA SOFTWARE SUBSCRIPTION 5 - YEARS, VIKING

Compatible With: All Viking Radios

Details:

P/N: 023ARMADACD

Name: VIKING ARMADA CD WITH OTIP/DRS/EBM SW

Compatible With: All Viking Radios

Details:

P/N: 023VKFWCD

Name: VIKING FIRMWARE CD

Compatible With: All Viking Radios

Details:

P/N: 023VKMANUALCD

Name: VIKING MANUAL CD

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 2505000972

Name: VIKING RADIO SECURITY DEVICE - MASTER

Compatible With: All Viking Radios

Details: VIKING RADIO SECURITY DEVICE - MASTER

Image
Not
Available

P/N: 2505000974

Name: VIKING RADIO SECURITY DEVICE - SLAVE

Compatible With: All Viking Radios

Details: VIKING RADIO SECURITY DEVICE - SLAVE

Encryption Accessories

Image
Not
Available

P/N: KPG-93

Name: KVL4000 VOICE KEY CABLE, VP-T

Compatible With: VP6000,VP5000

Details:

Cable required to connect KVL3000/4000/5000 keyloader to the VPX000 sideport for voice keyloading of DES/AES.

Image
Not
Available

P/N: KPG-93AUT

Name: KVL4000 AUTH KEY CABLE, VP-T

Compatible With: VP6000,VP5000

Details: Cable required to connect KVL4000 keyloader to theVPX000 sideport for authentication keyloading

Image
Not
Available

P/N: 023500095005

Name: VK5000 VOICE AND AUTH KEY CABLE, VP-T

Compatible With: VP6000,VP5000

Details: Cable required to connect VK5000 keyloader kit to the VP X000 side port

Software Options

Image
Not
Available

P/N: 8321000002

Name: DIGITAL (P25 CAI AMBE +2), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8322000001

Name: ANALOG CONVENTIONAL, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8322000002

Name: P25 CONVENTIONAL , VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8322000006

Name: P25 PHASE 2 TDMA, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8322000005

Name: P25 PHASE 1 TRUNKING, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000008

Name: 2048 CHANNELS/TALKGROUPS, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8325000001

Name: P25 DATA TRUNKING (PACKET DATA), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8325000002

Name: P25 DATA CONVENTIONAL (PACKET DATA), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8324000002

Name: P25 OTAR (OVER THE AIR REKEYING), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8324000003

Name: OTAP (OVER-THE-AIR PROGRAMMING), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8324000005

Name: KEYPAD PROGRAMMING (US FED GOVT), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000002

Name: MDC1200 / GE-STAR SIGNALING, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000003

Name: FIRESAFE™ FIRST RESPONDER, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000004

Name: FIRESAFE™ COMMAND, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8323000002

Name: AES FIPS SINGLE KEY, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8323000003

Name: DES-OFB MULTI-KEY, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8323000004

Name: AES FIPS MULTI-KEY, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8323000005

Name: ARC4 (ADP COMPATIBLE), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000013

Name: THIRD PARTY INTERFACE, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000005

Name: P25 CONV VOTE SCAN, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000019

Name: REBANDING (NEXTEL), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000020

Name: REBANDING (NON-NEXTEL), VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8326000001

Name: P25 AUTHENTICATION, VIKING

Compatible With: All Viking Radios

Details:

Image
Not
Available

P/N: 8325000003

Name: GPS, VIKING

Compatible With: All Viking Radios

Details: For Mobiles, you will need GPS Hardware. Please order these items in addition to 8325000003:VMH00: Order the GPS hardware module(2515000007)VMT000: Order only the GPS antenna(KRA-40GM)

Image
Not
Available

P/N: 8326000015

Name: 25KHz DISABLED

Compatible With: All Viking Radios

Details: 25KHz DISABLED

Image
Not
Available

P/N: 8326000026
Name: MAN DOWN
Compatible With: VP6000,VP5000
Details: MAN DOWN

Image
Not
Available

P/N: 8326000025
Name: BLUETOOTH
Compatible With: VP6000,VP5000
Details: BLUETOOTH

Image
Not
Available

P/N: 8326000027
Name: P25 PAGING DECODE
Compatible With: All Viking Radios
Details: P25 PAGING DECODE

Image
Not
Available

P/N: 8326000029
Name: VOICE RECORDING
Compatible With: VP6000,VP5000,VM7000,VM6000,VM5000
Details: VOICE RECORDING

Image
Not
Available

P/N: 8326000028
Name: INSTANT RECORDING REPLAY
Compatible With: All Viking Radios
Details: INSTANT RECORDING REPLAY

Image
Not
Available

P/N: 2990600017

Name: 1-YR EXTENDED WARRANTY, VIKING

Compatible With: All Viking Radios

Details: Extended Standard Warranty can be bought within the first three years when the radio is under warranty. 1-YEAR EXTENDED WARRANTY Applies to VIKING and KENWOOD TK radios. Do NOT use with ES radios. Please order one unit of this item for each RF Deck in VM7000. For example, a 3 deck VM7000 will require 3 units of extended warranty as warranty is tied to a RF Deck.

Image
Not
Available

P/N: 2990600013

Name: 2-YR EXTENDED WARRANTY, VIKING

Compatible With: All Viking Radios

Details:

Extended standard warranty can be bought within the first three yeras when the radio is under warranty. 2-YEAR EXTENDED WARRANTY Applies to VIKING and KENWOOD TK subscribers. Do NOT use with ES subscribers. Please order one unit of this item for each RF Deck in VM7000. For example, a 3 deck VM7000 will require 3 units of extended warranty as warranty is tied to a RF Deck.

Training and Services

Image
Not
Available

P/N: 299PRGM001

Name: RADIO PROFILE CREATION FOR PROGRAMMING **AIR**

Compatible With: All Viking Radios

Details: Performance+ Expert™ conversion of existing radio codeplugs to Armada Templates

Image
Not
Available

P/N: 3396101001

Name: ONSITE TRAINING 1 DAY (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396102001

Name: ONSITE TRAINING 2 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396103001

Name: ONSITE TRAINING 3 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396269001

Name: EFJ TRAINING CENTER 1 DAY (6 TO 9 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ will to provide required training content at EFJohnson's Irving Training Facility. Students are responsible for the cost of travel and lodging. EFJohnson is not liable for the cost of student airfare, car rental, other travel expenses or meals and incidentals, unless specifically included in a purchase order for services or other legally binding agreement.

Image
Not
Available

P/N: 3396214001

Name: EFJ TRAINING CENTER 1 DAY (1 TO 4 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ will to provide required training content at EFJohnson's Irving Training Facility. Students are responsible for the cost of travel and lodging. EFJohnson is not liable for the cost of student airfare, car rental, other travel expenses or meals and incidentals, unless specifically included in a purchase order for services or other legally binding agreement.

Image
Not
Available

P/N: 3396205001

Name: EFJ TRAINING CENTER 1 DAY (5 STUDENTS PACKAGE)

Compatible With: All Viking Radios

Details: Performance+ Expert™ will provide required training content at EFJohnson's Irving Training Facility. Students are responsible for the cost of travel and lodging. EFJohnson is not liable for the cost of student airfare, car rental, other travel expenses or meals and incidentals, unless specifically included in a purchase order for services or other legally binding agreement.

Image
Not
Available

P/N: 3396110001

Name: ONSITE TRAINING 10 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396104001

Name: ONSITE TRAINING 4 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396105001

Name: ONSITE TRAINING 5 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396106001

Name: ONSITE TRAINING 6 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396107001

Name: ONSITE TRAINING 7 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396108001

Name: ONSITE TRAINING 8 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image
Not
Available

P/N: 3396109001

Name: ONSITE TRAINING 9 DAYS (UP TO 10 STUDENTS)

Compatible With: All Viking Radios

Details: Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Upgrade Kits



P/N: 835VP5000YH

Name: YELLOW HOUSING, VP5000

Compatible With: VP5000

Details: VP5000 Model 2 Upgrade kit to convert black housing into orange housing. Pricing includes all services required to install the colored housing




P/N: 835VP5000OH

Name: ORANGE HOUSING, VP5000

Compatible With: VP5000

Details: VP5000 Model 2 Upgrade kit to convert black housing into orange housing. Pricing includes all services required to install the colored housing




P/N: K2K-0012-00

Name: CHANNEL SELECTOR KNOB, VP5000/TK5X30

Compatible With: VP5000

Details: CHANNEL SELECTOR KNOB FOR VP5000/TK5X30




P/N: B0K-0078-00

Name: DUST COVER CAP FOR VP6000

Compatible With: VP6000,VP5000

Details: Please, order all three part numbers for the Dust Cover Kit: B0K-0078-00: DUST COVER CAP FOR VP6000G5D-0027-00: DUST COVER PACKING RUBBERN08-0571-04: DUST COVER SCREW



P/N: B0K-0002-00

Name: DUST COVER CAP FOR VP5000

Compatible With: VP6000,VP5000

Details: Please order all three part numbers for the VP5000 Dust Cover Kit: B0K-0002-00: DUST COVER CAP FOR VP5000G5D-0027-00: DUST COVER PACKING RUBBERN08-0571-04: DUST COVER SCREW