

# Accessory Catalog

## Speaker Mics

**P/N:** KMC-70M

**Name:** SPEAKER MIC, 3PF KEYS, BLACK, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

IP67, IS (CSA), MIL-std, PTT button, three programmable buttons, and earphone jack(3.5mm). Coiled Cable length is 26 in. (Stretched length: 78 in.)

**P/N:** KMC-70GR

**Name:** SPEAKER MIC, 3PF KEYS, HI-VIZ, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

IP67, IS (CSA), MIL-std, PTT button, two programmable buttons, and earphone jack(3.5mm). Coiled Cable length is 26 in. (Stretched length: 78 in.)

**P/N:** KMC-54WDM

**Name:** SPEAKER MIC MIL-SPEC, IP67, W/ ANR, VP-T/TK

**Compatible With:** VP6000,VP5000

**Details:**

IP67, IS (CSA), MIL-std, PTT button, two programmable buttons, and earphone jack(3.5mm). Coiled Cable length is 26 in. (Stretched length: 78 in.)

## Specialty Speaker Mics

**P/N:** KMC-49

**Name:** SPEAKER MIC PUB SAFETY, W/ ANTENNA CONN, VP-T/TK

**Compatible With:** VP6000,VP5000

**Details:** IP67, IS(CSA), MIL-std, PTT button, two programmable buttons, earphone jack, and antenna connector (antenna is not included but can use standard portable antenna). 5/16-in. coax cable hex wrench is included. Available in 24 in.

**P/N:** V2-G4KC221

**Name:** FIRE SPEAKER MIC, OTTO, 500°F, VP-T

**Compatible With:** VP6000,VP5000

**Details:** FIRE SPEAKER MIC, OTTO, 500°F, VP-T Whether in the fire or behind the hose, OTTO 500 high temp fire speaker microphone exceeds the performance of any other speaker mic on the market. Designed to continue functioning even in extreme situations, the OTTO 500 gives fire professionals those critical minutes of communications that can mean the difference between life and death. OTTO 500 is tested to function for more than five minutes at 500 F (260 C) utilizing special high-temperature materials in the case, cable and strain relief. With full immersion capability in one meter of water for 31 minutes and exceptional debris protection including a removable grill and replaceable debris screen for easy cleaning, the durable OTTO 500 is the clear choice for extreme fire-fighting environments Features :Functions for more than five minutes at 500 F (260 C)IP68, immersion rated to one meter of water for 31 minutesNew clip design with increased clamping force and metal loopRemovable green grill with replaceable debris screenLarge PTT for use with glovesOptional emergency button

**P/N:** BTR-155

**Name:** BLUETOOTH SPEAKER MIC, SAVOX, K551071 VP-T

**Compatible With:** VP6000,VP5000

**Details:**

BLUETOOTH SPEAKER MIC, SAVOX, K551071 VP-T

**P/N:** APTT1

**Name:** SPEAKER MIC, AINA BT PTT VOICE RESPONDER

**Compatible With:** VP6000,VP5000,VM7000,VM6000,VM5000

**Details:**

AINA's PTT Voice Responder is a next generation speaker-microphone which can be connected via Bluetooth to Viking 5000/6000/7000 series subscriber radios. It features PTT plus 5 programmable buttons.

VM/VPx000 radios optioned with Bluetooth support the AINA PTT Voice Responder Remote Bluetooth speaker mic. The speaker mic configuration in Armada supports the programmable buttons and customizable blue tooth audio profile.

**Firmware Notes:**

\*Viking radios require firmware 8.28.5 or later for compatibility.

\*The AINA Voice Responder requires correct firmware and manufacturing date of 1735 or later for compatibility.

**Accessories:**

\* ADC1: AINA PTT VR Desktop Charger Cradle

\* AVC1: AINA PTT VR Vehicle Charger Cradle

## Earpieces

**P/N:** KEP-2

**Name:** EARPHONE KIT 2.5 MM , VP-T/TK

**Compatible With:** VP6000,VP5000

**Details:** 2.5 mm earphone kit with quick disconnect and noise attenuating eartube/earplug. Receive only.

**P/N:** KEP-1

**Name:** EARPHONE KIT 3.55MM, VP-T/TK

**Compatible With:** VP6000,VP5000

**Details:** 3.5 mm earphone kit for speaker mic earpiece with quick disconnect and noise attenuating eartube/earplug. Receive only.

## Surveillance

**P/N:** KHS-11BL

**Name:** 2 WIRE PALM MIC W/EARPHONE, VP-T/TK

**Compatible With:** VP6000,VP5000

**Details:** Earphone kit with PTT, microphone, and a radio connector.

**P/N:** BTH-300KIT1

**Name:** BLUETOOTH SURVEILLANCE KIT, PTT+EARPIECE, VP-T

**Compatible With:** VP6000,VP5000

**Details:** BLUETOOTH SURVEILLANCE KIT, PTT+EARPIECE, VP-TThe NEW BTH-300 series PRYMEBLU® Bluetooth (wireless) professional grade lapel microphone kit features a front mounted, easy to use, PTT button. The BTH-300 features a 3.5mm jack compatible. It comes with EH-1189sC Bud style earphone which has a 16" (retracted) Coil Cord and collar clip.

## Headsets

**P/N:** KHS-14

**Name:** HEADSET, SINGLE MUFF BOOM MIC, IN-LINE PTT, VP-T/T

**Compatible With:** VP6000,VP5000

**Details:** Light weight single muff headset with boom mic & in-line PTT, universal connector, black. Intrinsically safe.

**P/N:** BTH-900

**Name:** BLUETOOTH HEADSET,BTH-900,OVER THE HEAD, VP-T

**Compatible With:** VP6000,VP5000

**Details:** BLUETOOTH HEADSET,BTH-900,OVER THE HEAD, VP-T  
Pryme BTH-900-EMB Bluetooth Dual Ear Muff Racing Style Headset & Microphone. NEW Professional grade, wireless dual-muff headsets now available in three different mounting configurations. The BTH-800 Over-the-Head (OTH) style has a wide padded head band that is very comfortable. The BTH-900 Racing style has both an over-the-head adjustable strap and a strong Behind-the-Head (BTH) spring steel band for tight, secure fit. The BTH-700 kit is designed to fit in the slots found on most safety helmets used in safety / construction applications. ALL versions of the BTH-600/700/900 can be dual-linked with cellphone or tablets AND TWO-WAY RADIOS - AT THE SAME TIME! Fully integrated Bluetooth technology. No wires! No external BT boxes! Clean and professional. Dual operation Bluetooth for use with both Cellphones or Tablets at same time as Two-way radios. Seperate control buttons for PTT (radio) and Cellphone (Answer / Call). Sealed rubber control switches give positive user feedback and are sealed to keep dust and moisture out. BTH-900 (Racing) style headset has extra large PTT button for use with heavy gloves. Two color LED indicator shows status of power, low voltage, linked, etc. Foam Ear Pads are easy to replace or upgrade to GEL type for maximum comfort! Noise reducing condenser boom microphone with wind sock is easy to replace. Bluetooth version 3.0, Class 2. HSP, HFP, A2DP, AVRCP. Typical range approx. 10 meters (30 feet). Operating time approx. 10 hours. Standby 50 hours. Charging cable (USB type) and Wall Charger included. Operating temperature range -15° C to +50° C.

## Batteries

**P/N:** KNB-L2M

**Name:** LI-ION BATTERY, 2600MAH, NON IS, VP-T

**Compatible With:** VP6000,VP5000

**Details:** Standard L2 size battery. IP67, MIL-STD

**P/N:** KNB-L3M

**Name:** LI-ION BATTERY, 3400MAH, NON IS, VP-T

**Compatible With:** VP6000,VP5000

**Details:** High Capacity L3 size battery. IP67, MIL-STD

Image  
Not  
Available

**P/N:** KNB-LS5

**Name:** LH-ION BATTERY, 2000MAH, CSA, VP-T

**Compatible With:** VP6000,VP5000

**Details:** Standard L2 size Intrinsically Safe battery for USA only. IP67, MIL-STD

**P/N:** KNB-N4M

**Name:** NIMH BATTERY, 2500MAH, NON IS, IP RATED, VP-T

**Compatible With:** VP6000,VP5000

**Details:** Standard Nickel Metal Hydride battery suited for low temperature environment.

**P/N:** KNB-LS7

**Name:** LH-ION BATTERY, 3800MAH, CSA, VP-T

**Compatible With:** VP6000,VP5000

**Details:** LH-ION BATTERY, 3800MAH, CSA, VP-T

**P/N:** KBP-8M

**Name:** BATTERY CASE, AA ALKALINEX12,NO IP, ORANGE, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

AA Alkaline Refillable Battery Pack (12 AA: 9V). Cells not included.

## Chargers

**P/N:** KSC-32

**Name:** CHARGER, SINGLE BAY RAPID RATE, VP-T

**Compatible With:** VP6000,VP5000

**Details:** Single Unit tri-chemical rapid rate charger. Does not work with battery optimizing software.Kenwood KSC-32 Single-Unit Tri-Chemistry Rapid Rate Charger Includes 110/220VAC auto-switching AC Adapter with US-Style line cord plug. Charges Ni-Cd, Ni-MH and Li-Ion battery Types

**P/N:** KSC-Y32K

**Name:** CHARGER, SINGLE BAY RAPID RATE INTELLIGENT,VP-T

**Compatible With:** VP6000,VP5000

**Details:** Single Unit Intelligent tri-chemical rapid rate charger. Microprocessor controlled to prevent “over-charging”.Interchangeable adapter pods allow charging of a variety of battery models. Highly durable construction

**P/N:** KVC-23

**Name:** VEHICULAR CHARGER, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

The KVC-23 has a rugged, heavy-duty design ideal for the demanding public safety and industrial sectors which require the charging of portables in the field during long shifts, in remote locations and during times of mass power outages. The KVC-23 Vehicular Charger includes an adjustable-angle steel bracket, D.C. power, ignition sense, and vehicular repeater control leads.

- 1. Three dedicated LED Status Indicator (Red : Charging, Green : Full, Repeater ON : Yellow)*
- 2. Operates in 12V vehicle power systems*
- 3. Overcharge protection prevents against reduced battery pack life caused by excessive charging*
- 4. Easy to use design allows charging to start by simply sliding the radio or battery into the charger slot*
- 5. Easily customized to support a variety of Kenwood radio types, batteries and customer options*
- 6. Easily accessible Repeater ON/OFF control button*

**P/N:** KVC-15

**Name:** VEHICULAR CHARGER ADAPTER, RAPID RATE, VP-T

**Compatible With:** VP6000,VP5000

**Details:** The KVC-15 is a rapid rate vehicular charger adapter for the KSC-32 charger base, to adapt use of a Kenwood single pocket desk charger for vehicular use powered from a conventional 12V DC vehicle accessory socket or cigarette lighter socket.The KVC-15 is comprised of a steel mounting base & adjustable locking bracket to hold the charger, and a matching DC cable with a fused cigarette lighter plug. The KVC-15 is intended for under-dash, wall, or floor mounting, in a weather protected location in a vehicle, preferably in the cab or in an enclosed work or cargo space. This device is not intended for unprotected operation in wet locations.This unit is designed for 12V DC operation, only.

**P/N:** KSC-326AK

**Name:** CHARGER, SIX UNIT RAPID RATE, VP-T

**Compatible With:** VP6000,VP5000

**Details:** CHARGER, SIX UNIT RAPID RATE, VP-T. Width 21.9 inchDepth 8.0 inchHeight 4.1 inchInput 100-240V 50/60Hz 1.5-0.8AOutput: Li-ion: 9.4V 1.42A × 6, Ni-MH: 13.2V 1A × 6CEC: Yes

**P/N:** KMB-30A

**Name:** WALL MOUNT BRACKET FOR MULTIBAY CHARGER, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

Wall Mount Bracket for KSC-326K/326AK/256K/256AK

**P/N:** ADC1

**Name:** CHARGER CRADLE, DESKTOP, AINA BT PTT VR MIC

**Compatible With:** VP6000,VP5000,VM7000,VM6000,VM5000

**Details:**

For use with the AINA PTT Voice Responder remote speaker mic, part number APTT1.

Designed for use on desktops and counters. Connect to any standard 5V USB phone charger.

**P/N:** AVC1

**Name:** CHARGER CRADLE, VEHICLE, AINA BT PTT VR MIC

**Compatible With:** VP6000,VP5000,VM7000,VM6000,VM5000

**Details:**

For use with the AINA PTT Voice Responder remote speaker mic, part number APTT1.

The Vehicle Charger Cradle is compatible with most mount manufacturers, using standard AMPs hole pattern or male ¼"-20 threaded stud. 5V male USB connector.

## Portable Antennas



**P/N:** KRA-27M

**Name:** ANTENNA UHF 440-490 MHZ WHIP, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is UHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-27M2

**Name:** ANTENNA UHF 470-520 MHZ WHIP, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is UHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-22M

**Name:** ANTENNA VHF 148-162 MHZ LOW-PROF HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is VHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-22M2

**Name:** ANTENNA VHF 162-174 MHZ LOW-PROF HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is VHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-22M3

**Name:** ANTENNA VHF 136-150 MHZ LOW-PROF HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is VHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-23M3

**Name:** ANTENNA UHF 403-430 MHZ LOW-PROF HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is UHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-23M2

**Name:** ANTENNA UHF 470-512 MHZ LOW-PROF HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is UHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-26M

**Name:** ANTENNA VHF 146-162 MHZ HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-26M2

**Name:** ANTENNA VHF 162-174 MHZ HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-26M3

**Name:** ANTENNA VHF 136-150 MHZ HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-27M3

**Name:** ANTENNA UHF 400-450 MHZ WHIP, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is UHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-32K

**Name:** ANTENNA 700/800 MHZ WHIP, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is 700/800 Whip antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-23M

**Name:** ANTENNA UHF 450-490 MHZ LOW-PROF HELICAL, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is UHF stubby short profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-28

**Name:** ANTENNA VHF 140-170 MHZ WHIP, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is BROAD-BAND HELIC LOADED VHF whip long profile, wide band coverage antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-25

**Name:** ANTENNA VHF 148-162 MZ, WHIP, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is HIGH GAIN VHF HELICALLY LOADED VHF whip long profile antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-36

**Name:** ANTENNA 700/800 MHZ STUB, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is 700/800 Stubby antenna. Works with VP5000/6000 and almost all of current Kenwood products.

**P/N:** KRA-29

**Name:** ANTENNA UHF 380-430 MHZ UHF WHIP, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This is BROAD BAND VHF whip long profile, wide band coverage antenna. Works with VP5000/6000 and almost all of current Kenwood products.

## Carry Cases

**P/N:** R50843LF3001

**Name:** LEATHER CASE FIRE L3, VP6000

**Compatible With:** VP6000

**Details:** Top grain leather with a high abrasion resistant finish, stainless steel rivets, nickel plated brass snaps, metal D-rings, for a shoulder strap, and a one-snap release leather retaining strap. Designed to fit the L3 battery and also L2 battery with spacer.

**P/N:** R50843NP2001

**Name:** NYLON CASE POLICE, L2 MODEL, VP6000

**Compatible With:** VP6000

**Details:**

Specially designed tightly woven 1000 denier nylon for high abrasion resistance, stainless steel rivets and nickel plated brass snaps. Includes a one-snap release leather retaining strap.

**P/N:** R50843NP3001

**Name:** NYLON CASE POLICE, L3 MODEL, D SWIVEL, VP6000

**Compatible With:** VP6000

**Details:** Specially designed tightly woven 1000 denier nylon for high abrasion resistance, stainless steel rivets and nickel plated brass snaps. Includes a one-snap release leather retaining strap. Designed to fit the L3 battery and also L2 battery with spacer.

**P/N:** R50843LP3001

**Name:** LEATHER CASE POLICE, L3 MODEL, D SWIVEL, VP6000

**Compatible With:** VP6000

**Details:**

Top grain leather with high abrasion resistant finish, stainless steel rivets and nickel-plated brass snaps. It includes a one-snap release leather-retaining strap for secure hold. Designed to fit the L3 battery and also L2 battery with spacer.

May be matched with a belt loop, with options being:

R50840000L30 - Leather 3 inch Belt Loop

R50840000L20 - Leather 2 inch Belt loop

R50840000S40 - Leather 4.25 inch Slot Belt Loop

**P/N:** R50843LP2001

**Name:** LEATHER CASE POLICE, L2 MODEL, VP6000

**Compatible With:** VP6000

**Details:**

Top grain leather with high abrasion resistant finish, stainless steel rivets and nickel-plated brass snaps. It includes a one-snap release leather-retaining strap. Works with L2 size battery.

May be matched with a belt loop, with options being:

R50840000L30 - Leather 3 inch Belt Loop

R50840000L20 - Leather 2 inch Belt loop

R50840000S40 - Leather 4.25 inch Slot Belt Loop

## Belt Loop and Straps

**P/N:** 5084600100

**Name:** SHOULDER STRAP, LEATHER, HEAVY DUTY, VP-H/VP-T

**Compatible With:** VP6000,VP400/600/900

**Details:** Top grain leather, 1 3/36 inches wide adjustable from approximately 52 to 60 inches long. It has multiple length settings and a forged belt buckle.

**P/N:** R50840000003

**Name:** LEATHER RETAINING STRAP, VP6000

**Compatible With:** VP6000

**Details:** This all leather retaining strap was designed for one-snap release with the ability to hold the unit securely, and have long life. Made with 4 ounce (1/16 inch) top grain leather, nickel plated brass snaps, and stainless steel rivets.

**P/N:** R50840000SS0

**Name:** SHOULDER STRAP, VP-H/VP-T

**Compatible With:** VP6000,VP5000,VP400/600/900

**Details:** Boston leather (English Bridle) leather, 1 1/4 inches wide adjustable from approximately 67 to 75 inches long. It has multiple length settings, 2 swiveling cross holding snap hooks, and 2 microphone holding loops for a high degree adjustability.

**P/N:** R50840000004

**Name:** RETAINING STRAP, PS MIC- KMC 49, VP-T

**Compatible With:** VP6000,VP5000

**Details:** This all leather retaining strap was designed for use with the KMC-49 speaker mic, to hold the unit securely, and have long life. Made with 4 ounce (1/16 inch) top grain leather, nickel plated brass snaps, and stainless steel rivets. Remove the regular strap from the VP6000 cases and insert this strap for use with KMC-49 mic.

**P/N:** R50840000L20

**Name:** BELT LOOP LEATHER, 2", VP6000

**Compatible With:** VP6000

**Details:** Top grain leather belt loop is designed to fit belts up to 2 inches wide. It measures approximately 3 and 5/8 inches tall and 2 and 7/16 inches wide.

**P/N:** R50840000L30

**Name:** BELT LOOP LEATHER, 3", VP6000

**Compatible With:** VP6000

**Details:** Top grain leather belt loop is designed to fit belts up to 3 inches wide. It measures approximately 4 and 1/2 inches tall and 2 and 3/4 inches wide.

**P/N:** R50840000N20

**Name:** BELT LOOP, NYLON 2", VP6000

**Compatible With:** VP6000

**Details:** This heavy duty nylon web belt loop is designed to fit belts up to 2 and 1/2 inches wide. It measures approximately 3 and 5/8 inches tall and 2 inches wide.

**P/N:** R50840000S40

**Name:** BELT LOOP, LEATHER 4.25" SLOT , VP6000

**Compatible With:** VP6000

**Details:** Top grain leather belt loop is designed to fit belts up to 2 inches wide. It measures approximately 3 inches tall and 4 and 1/2 inches wide.

## Belts

**P/N:** R50840000AS0

**Name:** ANTI SWAY BELT, VP-H/VP-T

**Compatible With:** VP6000,VP5000,VP400/600/900

**Details:** Boston leather (English Bridle) leather for ultimate comfort and long life. Designed to increase unit stability, it measures approximately 11, 1/2 inches long and 1 inch wide.

**P/N:** R50840000UB0

**Name:** UTILITY BELT, VP-H/VP-T

**Compatible With:** VP6000,VP5000,VP400/600/900

**Details:** Boston Leather (English Bridle) leather for ultimate comfort and long life. It has multiple length settings and a forged belt buckle.

## Belt Clips and Brackets

**P/N:** KBH-11

**Name:** BELT CLIP 2.5" SPRING ACTION, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

## Programming/Manual

**P/N:** KPG-36XM

**Name:** PROGRAMMING CABLE, USB, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

Image  
Not  
Available

**P/N:** 2990045094

**Name:** ARMADA SOFTWARE SUBSCRIPTION 5 - YEARS, VIKING

**Compatible With:** All Viking Radios

**Details:**

**P/N:** 023ARMADACD

**Name:** VIKING ARMADA CD WITH OTIP/DRS/EBM SW

**Compatible With:** All Viking Radios

**Details:**






**P/N:** 023VKFWCD

**Name:** VIKING FIRMWARE CD

**Compatible With:** All Viking Radios

**Details:**




**P/N:** 023VKMANUALCD

**Name:** VIKING MANUAL CD

**Compatible With:** All Viking Radios

**Details:**




**P/N:** 2505000972

**Name:** VIKING RADIO SECURITY DEVICE - MASTER

**Compatible With:** All Viking Radios

**Details:** VIKING RADIO SECURITY DEVICE - MASTER




**P/N:** 2505000974

**Name:** VIKING RADIO SECURITY DEVICE - SLAVE

**Compatible With:** All Viking Radios

**Details:** VIKING RADIO SECURITY DEVICE - SLAVE

## Encryption Accessories



**P/N:** KPG-93

**Name:** KVL4000 VOICE KEY CABLE, VP-T

**Compatible With:** VP6000,VP5000

**Details:**

Cable required to connect KVL3000/4000/5000 keyloader to the VPX000 sideport for voice keyloading of DES/AES.

Image  
Not  
Available

**P/N:** KPG-93AUT

**Name:** KVL4000 AUTH KEY CABLE, VP-T

**Compatible With:** VP6000,VP5000

**Details:** Cable required to connect KVL4000 keyloader to theVPX000 sideport for authentication keyloading

Image  
Not  
Available

**P/N:** 023500095005

**Name:** VK5000 VOICE AND AUTH KEY CABLE, VP-T

**Compatible With:** VP6000,VP5000

**Details:** Cable required to connect VK5000 keyloader kit to the VP X000 side port

## Software Options

Image  
Not  
Available

**P/N:** 8321000002

**Name:** DIGITAL (P25 CAI AMBE +2), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8322000001

**Name:** ANALOG CONVENTIONAL, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8322000002

**Name:** P25 CONVENTIONAL , VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8322000006

**Name:** P25 PHASE 2 TDMA, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8322000005

**Name:** P25 PHASE 1 TRUNKING, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000008

**Name:** 2048 CHANNELS/TALKGROUPS, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8325000001

**Name:** P25 DATA TRUNKING (PACKET DATA), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8325000002

**Name:** P25 DATA CONVENTIONAL (PACKET DATA), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8324000002

**Name:** P25 OTAR (OVER THE AIR REKEYING), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8324000003

**Name:** OTAP (OVER-THE-AIR PROGRAMMING), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8324000005

**Name:** KEYPAD PROGRAMMING (US FED GOVT), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000002

**Name:** MDC1200 / GE-STAR SIGNALING, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000003

**Name:** FIRESAFE™ FIRST RESPONDER, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000004

**Name:** FIRESAFE™ COMMAND, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8323000002

**Name:** AES FIPS SINGLE KEY, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8323000003

**Name:** DES-OFB MULTI-KEY, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8323000004

**Name:** AES FIPS MULTI-KEY, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8323000005

**Name:** ARC4 (ADP COMPATIBLE), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000013

**Name:** THIRD PARTY INTERFACE, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000005

**Name:** P25 CONV VOTE SCAN, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000019

**Name:** REBANDING (NEXTEL), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000020

**Name:** REBANDING (NON-NEXTEL), VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8326000001

**Name:** P25 AUTHENTICATION, VIKING

**Compatible With:** All Viking Radios

**Details:**

Image  
Not  
Available

**P/N:** 8325000003

**Name:** GPS, VIKING

**Compatible With:** All Viking Radios

**Details:** For Mobiles, you will need GPS Hardware. Please order these items in addition to 8325000003:VMH00: Order the GPS hardware module(2515000007)VMT000: Order only the GPS antenna(KRA-40GM)

Image  
Not  
Available

**P/N:** 8326000015

**Name:** 25KHz DISABLED

**Compatible With:** All Viking Radios

**Details:** 25KHz DISABLED

Image  
Not  
Available

**P/N:** 8326000026

**Name:** MAN DOWN

**Compatible With:** VP6000,VP5000

**Details:** MAN DOWN

Image  
Not  
Available

**P/N:** 8326000025

**Name:** BLUETOOTH

**Compatible With:** VP6000,VP5000

**Details:** BLUETOOTH

Image  
Not  
Available

**P/N:** 8326000027

**Name:** P25 PAGING DECODE

**Compatible With:** All Viking Radios

**Details:** P25 PAGING DECODE

Image  
Not  
Available

**P/N:** 8326000029

**Name:** VOICE RECORDING

**Compatible With:** VP6000,VP5000,VM7000,VM6000,VM5000

**Details:** VOICE RECORDING

Image  
Not  
Available

**P/N:** 8326000028

**Name:** INSTANT RECORDING REPLAY

**Compatible With:** All Viking Radios

**Details:** INSTANT RECORDING REPLAY

## HW/SW Warranty

Image  
Not  
Available

**P/N:** 2990600017

**Name:** 1-YR EXTENDED WARRANTY, VIKING

**Compatible With:** All Viking Radios

**Details:** Extended Standard Warranty can be bought within the first three years when the radio is under warranty. 1-YEAR EXTENDED WARRANTY Applies to VIKING and KENWOOD TK radios. Do NOT use with ES radios. Please order one unit of this item for each RF Deck in VM7000. For example, a 3 deck VM7000 will require 3 units of extended warranty as warranty is tied to a RF Deck.

Image  
Not  
Available

**P/N:** 2990600013

**Name:** 2-YR EXTENDED WARRANTY, VIKING

**Compatible With:** All Viking Radios

**Details:**

Extended standard warranty can be bought within the first three years when the radio is under warranty. 2-YEAR EXTENDED WARRANTY Applies to VIKING and KENWOOD TK subscribers. Do NOT use with ES subscribers. Please order one unit of this item for each RF Deck in VM7000. For example, a 3 deck VM7000 will require 3 units of extended warranty as warranty is tied to a RF Deck.

## Training and Services



Image  
Not  
Available

**P/N:** 299PRGM001

**Name:** RADIO PROFILE CREATION FOR PROGRAMMING \*\*AIR\*\*

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ conversion of existing radio codeplugs to Armada Templates

Image  
Not  
Available

**P/N:** 3396101001

**Name:** ONSITE TRAINING 1 DAY (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396102001

**Name:** ONSITE TRAINING 2 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396103001

**Name:** ONSITE TRAINING 3 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396269001

**Name:** EFJ TRAINING CENTER 1 DAY (6 TO 9 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ will to provide required training content at EFJohnson's Irving Training Facility. Students are responsible for the cost of travel and lodging. EFJohnson is not liable for the cost of student airfare, car rental, other travel expenses or meals and incidentals, unless specifically included in a purchase order for services or other legally binding agreement.

Image  
Not  
Available

**P/N:** 3396214001

**Name:** EFJ TRAINING CENTER 1 DAY (1 TO 4 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ will to provide required training content at EFJohnson's Irving Training Facility. Students are responsible for the cost of travel and lodging. EFJohnson is not liable for the cost of student airfare, car rental, other travel expenses or meals and incidentals, unless specifically included in a purchase order for services or other legally binding agreement.

Image  
Not  
Available

**P/N:** 3396205001

**Name:** EFJ TRAINING CENTER 1 DAY (5 STUDENTS PACKAGE)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ will to provide required training content at EFJohnson's Irving Training Facility. Students are responsible for the cost of travel and lodging. EFJohnson is not liable for the cost of student airfare, car rental, other travel expenses or meals and incidentals, unless specifically included in a purchase order for services or other legally binding agreement.

Image  
Not  
Available

**P/N:** 3396110001

**Name:** ONSITE TRAINING 10 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396104001

**Name:** ONSITE TRAINING 4 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396105001

**Name:** ONSITE TRAINING 5 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396106001

**Name:** ONSITE TRAINING 6 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396107001

**Name:** ONSITE TRAINING 7 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396108001

**Name:** ONSITE TRAINING 8 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

Image  
Not  
Available

**P/N:** 3396109001

**Name:** ONSITE TRAINING 9 DAYS (UP TO 10 STUDENTS)

**Compatible With:** All Viking Radios

**Details:** Performance+ Expert™ at Dealer or Customer determined location to provide required training content. Price does not include: travel outside continental USA/shipping of demo equipment/material cost, and course customization where applicable. Please contact our training manager for a quote today.

## Upgrade Kits

**P/N:** K2K-0263-00

**Name:** FIRE CHANNEL KNOB, VP6000

**Compatible With:** VP6000

**Details:** KNOB 16 CHANNEL MUSHROOM VP6000

Image  
Not  
Available

**P/N:** B0K-0078-00

**Name:** DUST COVER CAP FOR VP6000

**Compatible With:** VP6000,VP5000

**Details:** Please, order all three part numbers for the Dust Cover Kit: B0K-0078-00: DUST COVER CAP FOR VP6000G5D-0027-00: DUST COVER PACKING RUBBERN08-0571-04: DUST COVER SCREW

Image  
Not  
Available

**P/N:** B0K-0002-00

**Name:** DUST COVER CAP FOR VP5000

**Compatible With:** VP6000,VP5000

**Details:** Please order all three part numbers for the VP5000 Dust Cover Kit:B0K-0002-00:  
DUST COVER CAP FOR VP5000G5D-0027-00: DUST COVER PACKING RUBBERN08-  
0571-04: DUST COVER SCREW